



Schaftarten

Shank types

Komet Medical Instrumente lassen sich durch die bewährte Laserkodierung eindeutig und schnell dem Handstück zuordnen.

Due to their approved laser marking, Komet Medical instruments can be quickly and easily allocated to the corresponding handpiece.

Aesculap Hilan/2:

GB519R/GB529R → Schaftart/shank type .511

GB533R/GB530R → Schaftart/shank type .512

GB534R/GB531R → Schaftart/shank type .513

GB535R/GB532R → Schaftart/shank type .514

Aesculap Hilan XS:

GB751R/GB756R → Schaftart/shank type .526

GB752R/GB757R → Schaftart/shank type .525

GB753R/GB758R → Schaftart/shank type .527



Stryker TPS/Core

Hall Ultra Power:

O → Schaftart/shank type .515

M → Schaftart/shank type .516

AM → Schaftart/shank type .517



Rostfreier Stahl · Rund

Stainless steel · Round



NS01...	Ø (mm)	# S/FL	(L = mm) 57	(L = mm) 70	(L = mm) 95	(L = mm) 125	(L = mm) 55
Round Shank							J-Notch
	0,6	6				NS0148.026 STE	
	0,6	6				NS0148.026	
	0,6	10		NS0157.009 STE			
	0,6	10		NS0157.009			
	0,7	6		NS01100.009 STE			
	0,7	6		NS01100.009			
	0,8	6		NS0149.009 STE		NS0149.026 STE	
	0,8	6		NS0149.009		NS0149.026	
	1,0	6	NS0101.006 STE	NS0101.009 STE	NS0101.012 STE	NS0101.026 STE	
	1,0	6	NS0101.006	NS0101.009	NS0101.012	NS0101.026	
	1,0	12		NS0111.009 STE			
	1,0	12		NS0111.009			
	1,4	8	NS0150.006 STE	NS0150.009 STE	NS0150.012 STE	NS0150.026 STE	
	1,4	8	NS0150.006	NS0150.009	NS0150.012	NS0150.026	
	1,6	6					NS0103.016 STE
	1,6	6					NS0103.016
	1,8	8	NS0151.006 STE	NS0151.009 STE	NS0151.012 STE	NS0151.026 STE	
	1,8	8	NS0151.006	NS0151.009	NS0151.012	NS0151.026	
	2,3	8	NS0115.006 STE	NS0115.009 STE	NS0115.012 STE	NS0115.026 STE	NS0115.016 STE
	2,3	8	NS0115.006	NS0115.009	NS0115.012	NS0115.026	NS0115.016
	2,7	10	NS0152.006 STE	NS0152.009 STE	NS0152.012 STE	NS0152.026 STE	
	2,7	10	NS0152.006	NS0152.009	NS0152.012	NS0152.026	
	3,1	6		NS0107.009 STE			NS0107.016 STE
	3,1	6		NS0107.009			NS0107.016
	3,1	10	NS0153.006 STE	NS0153.009 STE	NS0153.012 STE	NS0153.026 STE	
	3,1	10	NS0153.006	NS0153.009	NS0153.012	NS0153.026	
	3,5	6		NS0191.009 STE		NS0191.026 STE	
	3,5	6		NS0191.009		NS0191.026	
	3,5	12		NS0154.009 STE	NS0154.012 STE	NS0154.026 STE	
	3,5	12		NS0154.009	NS0154.012	NS0154.026	
	4,0	12	NS0120.006 STE	NS0120.009 STE	NS0120.012 STE	NS0120.026 STE	NS0120.016 STE
	4,0	12	NS0120.006	NS0120.009	NS0120.012	NS0120.026	NS0120.016
	4,5	6	NS0121.006 STE	NS0121.009 STE		NS0121.026 STE	NS0121.016 STE
	4,5	6	NS0121.006	NS0121.009		NS0121.026	NS0121.016
	4,5	12		NS0123.009 STE	NS0123.012 STE	NS0123.026 STE	
	4,5	12		NS0123.009	NS0123.012	NS0123.026	
	5,0	8		NS0109.009 STE		NS0109.026 STE	NS0109.016 STE
	5,0	8		NS0109.009		NS0109.026	NS0109.016
	5,0	12	NS0155.006 STE	NS0155.009 STE	NS0155.012 STE	NS0155.026 STE	
	5,0	12	NS0155.006	NS0155.009	NS0155.012	NS0155.026	
	6,0	14	NS0156.006 STE	NS0156.009 STE	NS0156.012 STE	NS0156.026 STE	NS0156.016 STE
	6,0	14	NS0156.006	NS0156.009	NS0156.012	NS0156.026	NS0156.016
	7,0	16		NS0125.009 STE	NS0125.012 STE	NS0125.026 STE	NS0125.016 STE
	7,0	16		NS0125.009	NS0125.012	NS0125.026	NS0125.016



Rostfreier Stahl · Rund · High Speed · Aesculap Hilan XS
 Stainless steel · Round · High Speed · Aesculap Hilan XS



NS01...	∅ (mm)	# S/FL	(L = mm) 76 - 80	(L = mm) 106 - 110	(L = mm) 136 - 140			
Aesculap Hilan XS								
Handstück / handpiece			I	II	III			
	1,0	6	NS0101.526 STE	NS0101.525 STE				
	1,0	6	NS0101.526	NS0101.525				
	1,4	8	NS0150.526 STE	NS0150.525 STE				
	1,4	8	NS0150.526	NS0150.525				
	1,8	8	NS0151.526 STE	NS0151.525 STE	NS0151.527 STE			
	1,8	8	NS0151.526	NS0151.525	NS0151.527			
	2,3	8	NS0115.526 STE	NS0115.525 STE	NS0115.527 STE			
	2,3	8	NS0115.526	NS0115.525	NS0115.527			
	2,7	10	NS0152.526 STE	NS0152.525 STE	NS0152.527 STE			
	2,7	10	NS0152.526	NS0152.525	NS0152.527			
	3,1	10	NS0153.526 STE	NS0153.525 STE	NS0153.527 STE			
	3,1	10	NS0153.526	NS0153.525	NS0153.527			
	4,0	12	NS0120.526 STE	NS0120.525 STE	NS0120.527 STE			
	4,0	12	NS0120.526	NS0120.525	NS0120.527			
	5,0	12	NS0155.526 STE	NS0155.525 STE	NS0155.527 STE			
	5,0	12	NS0155.526	NS0155.525	NS0155.527			
	6,0	14	NS0156.526 STE	NS0156.525 STE	NS0156.527 STE			
	6,0	14	NS0156.526	NS0156.525	NS0156.527			



Rostfreier Stahl · Rund · High Speed · Aesculap Hilan
 Stainless steel · Round · High Speed · Aesculap Hilan



NS01...	Ø (mm)	# S/FL		(L = mm) 70	(L = mm) 90	(L = mm) 110	(L = mm) 152	Aesculap Hilan			
								Handstück / handpiece			
				▲	I	II	III				
	1,0	6			NS0140.512 STE	NS0140.513 STE					
	1,0	6			NS0140.512	NS0140.513					
	1,4	6		NS0141.511 STE	NS0141.512 STE	NS0141.513 STE					
	1,4	6		NS0141.511	NS0141.512	NS0141.513					
	2,4	8		NS0147.511 STE	NS0147.512 STE	NS0147.513 STE	NS0147.514 STE				
	2,4	8		NS0147.511	NS0147.512	NS0147.513	NS0147.514				
	3,2	10		NS0134.511 STE	NS0134.512 STE	NS0134.513 STE	NS0134.514 STE				
	3,2	10		NS0134.511	NS0134.512	NS0134.513	NS0134.514				
	4,8	10		NS0136.511 STE	NS0136.512 STE	NS0136.513 STE	NS0136.514 STE				
	4,8	10		NS0136.511	NS0136.512	NS0136.513	NS0136.514				
	6,4	14		NS0135.511 STE	NS0135.512 STE	NS0135.513 STE	NS0135.514 STE				
	6,4	14		NS0135.511	NS0135.512	NS0135.513	NS0135.514				
	7,9	16		NS0137.511 STE	NS0137.512 STE	NS0137.513 STE	NS0137.514 STE				
	7,9	16		NS0137.511	NS0137.512	NS0137.513	NS0137.514				



Komet Medical Instrumente lassen sich durch die bewährte Laserkodierung eindeutig und schnell dem Handstück zuordnen.

Aesculap® Hilan®

Due to their approved laser marking, Komet Medical instruments can be quickly and easily allocated to the corresponding handpiece.



Rostfreier Stahl · Stainless steel

Rostfreier Stahl · Rund · High Speed · Stryker TPS/Core · Hall Ultra Power
 Stainless steel · Round · High Speed · Stryker TPS/Core · Hall Ultra Power



NS01...	Ø (mm)	# S/FL	Stryker TPS/Core, Hall Ultra Power					
			(L = mm) 64 - 71	(L = mm) 81 - 88	(L = mm) 134 - 141			
Handstück / handpiece			O	M	AM			
	1,0	6	NS0140.515 STE	NS0140.516 STE	NS0140.517 STE			
	1,0	6	NS0140.515	NS0140.516	NS0140.517			
	1,4	6	NS0141.515 STE	NS0141.516 STE	NS0141.517 STE			
	1,4	6	NS0141.515	NS0141.516	NS0141.517			
	2,4	8	NS0147.515 STE	NS0147.516 STE	NS0147.517 STE			
	2,4	8	NS0147.515	NS0147.516	NS0147.517			
	3,2	10	NS0134.515 STE	NS0134.516 STE	NS0134.517 STE			
	3,2	10	NS0134.515	NS0134.516	NS0134.517			
	4,0	8	NS0108.515 STE	NS0108.516 STE	NS0108.517 STE			
	4,0	8	NS0108.515	NS0108.516	NS0108.517			
	4,8	10	NS0136.515 STE	NS0136.516 STE	NS0136.517 STE			
	4,8	10	NS0136.515	NS0136.516	NS0136.517			
	5,4	12		NS0178.516 STE	NS0178.517 STE			
	5,4	12		NS0178.516	NS0178.517			
	6,4	14	NS0135.515 STE	NS0135.516 STE	NS0135.517 STE			
	6,4	14	NS0135.515	NS0135.516	NS0135.517			
	7,0	8		NS0126.516 STE	NS0126.517 STE			
	7,0	8		NS0126.516	NS0126.517			
	7,9	16	NS0137.515 STE	NS0137.516 STE	NS0137.517 STE			
	7,9	16	NS0137.515	NS0137.516	NS0137.517			



Komet Medical Instrumente lassen sich durch die bewährte Laserkodierung eindeutig und schnell dem Handstück zuordnen.

Due to their approved laser marking, Komet Medical instruments can be quickly and easily allocated to the corresponding handpiece.

Stryker TPS/Core



Rostfreier Stahl · Zylinder mit Querhieb

Stainless steel · Cylinder with cross-cut



NS04...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 70	(L = mm) 125				
Round Shank									
	5,0	12	10,0	NS0409.009 STE	NS0409.026 STE				
	5,0	12	10,0	NS0409.009	NS0409.026				
	6,0	14	11,0	NS0410.009 STE					
	6,0	14	11,0	NS0410.009					
	7,0	16	12,0	NS0412.009 STE	NS0412.026 STE				
	7,0	16	12,0	NS0412.009	NS0412.026				
	8,0	16	13,0	NS0414.009 STE					
	8,0	16	13,0	NS0414.009					

Rostfreier Stahl · Ei

Stainless steel · Egg



NS09...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 55					
J-Notch									
	4,0	10	9,5	NS0903.016 STE					
	4,0	10	9,5	NS0903.016					
	6,0	14	9,5	NS0909.016 STE					
	6,0	14	9,5	NS0909.016					



Rostfreier Stahl · Stainless steel

Rostfreier Stahl · Ei mit Querhieb
Stainless steel · Egg with cross-cut



NS09...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 70					
Round Shank									
	4,0	10	9,5	NS0904.009 STE					
	4,0	10	9,5	NS0904.009					
	5,0	12	10,0	NS0913.009 STE					
	5,0	12	10,0	NS0913.009					
	6,0	14	11,0	NS0915.009 STE					
	6,0	14	11,0	NS0915.009					
	7,0	16	12,0	NS0917.009 STE					
	7,0	16	12,0	NS0917.009					

Rostfreier Stahl · Birne
Stainless steel · Pear



NS12...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 44,5	(L = mm) 55				
J-Notch									
	6,0	14	10,0	NS1201.014 STE	NS1201.016 STE				
	6,0	14	10,0	NS1201.014	NS1201.016				

Rostfreier Stahl · Knospe mit Querhieb
Stainless steel · Bud with cross-cut



NS22...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 70	(L = mm) 95				
Round Shank									
	4,0	10	8,0	NS2202.009 STE	NS2202.012 STE				
	4,0	10	8,0	NS2202.009	NS2202.012				
	5,0	12	9,5	NS2204.009 STE					
	5,0	12	9,5	NS2204.009					
	6,0	14	11,0	NS2206.009 STE					
	6,0	14	11,0	NS2206.009					
	8,0	16	14,0	NS2210.009 STE					
	8,0	16	14,0	NS2210.009					



Rostfreier Stahl · Knospe

Stainless steel · Bud



NS22...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 70	(L = mm) 125	(L = mm) 44,5			
				Round Shank		Dental			
	4,0	10	8,0	NS2201.009 STE					
	4,0	10	8,0	NS2201.009					
	5,0	12	9,5	NS2203.009 STE	NS2203.026 STE	NS2203.029 STE			
	5,0	12	9,5	NS2203.009	NS2203.026	NS2203.029			
	6,0	14	11,0	NS2205.009 STE		NS2205.029 STE			
	6,0	14	11,0	NS2205.009		NS2205.029			
	7,0	16	12,5	NS2207.009 STE	NS2207.026 STE				
	7,0	16	12,5	NS2207.009	NS2207.026				
	8,0	16	14,0	NS2209.009 STE					
	8,0	16	14,0	NS2209.009					

Rostfreier Stahl · Swanson

Stainless steel · Swanson



NS16...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 57	(L = mm) 62				
				Round Shank					
	2,0	5	7,0	NS1601.006 STE					
	2,0	5	7,0	NS1601.006					
	3,0	5	9,5		NS1602.007 STE				
	3,0	5	9,5		NS1602.007				
	4,0	6	12,5		NS1605.007 STE				
	4,0	6	12,5		NS1605.007				
	5,0	7	13,5		NS1604.007 STE				
	5,0	7	13,5		NS1604.007				



Rostfreier Stahl · Stainless steel

Rostfreier Stahl · Walze · High Speed · Aesculap Hilan Stainless steel · Barrel · High Speed · Aesculap Hilan



NS24...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 110					
					Aesculap Hilan				
Handstück / handpiece					II				
	6,0	8	9,0	NS2414.513 STE					
	6,0	8	9,0	NS2414.513					

Rostfreier Stahl · Craniotome · Low Speed Stainless steel · Craniotome · Low Speed



NS21...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 44,5					
					Aesculap GB265R				
Handstück / handpiece									
	2,9	3	26,0	NS2107.25A STE					
	2,9	3	26,0	NS2107.25A					



Rostfreier Stahl · Craniotome · Low Speed

Stainless steel · Craniotome · Low Speed



NS21...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 44,5					
Handstück / handpiece				Aesculap GB265R/Codman 26-1246					
	2,5	4	21,5	NS2101.025 STE					
	2,5	4	21,5	NS2101.025					

Rostfreier Stahl · Router Cranio · High Speed · Aesculap Hilan

Stainless steel · Router Cranio · High Speed · Aesculap Hilan



NS23...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 80 - 87	(L = mm) 100 - 107				
				Aesculap Hilan					
Handstück / handpiece				▲					
	1,6	2	18,0	NS2311.511 STE	NS2311.512 STE				
	1,6	2	18,0	NS2311.511	NS2311.512				



Rostfreier Stahl · Stainless steel

Rostfreier Stahl · Craniotome · High Speed · Aesculap Hilan
 Stainless steel · Craniotome · High Speed · Aesculap Hilan



NS21...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 63	(L = mm) 67	(L = mm) 77			
Aesculap Hilan									
Handstück / handpiece									
				I	II	III			
	1,6	3	13,0	NS2117.512 STE					
	1,6	3	13,0	NS2117.512					
	1,6	3	16,5		NS2118.513 STE				
	1,6	3	16,5		NS2118.513				
	1,6	3	25,0			NS2119.514 STE			
	1,6	3	25,0			NS2119.514			

Rostfreier Stahl · Craniotome · High Speed · Aesculap Hilan XS
 Stainless steel · Craniotome · High Speed · Aesculap Hilan XS



NS21...	∅ (mm)	# S/FL	KL/HL (mm)	(L = mm) 46,4	(L = mm) 51,4	(L = mm) 56,4			
Aesculap Hilan XS									
Handstück / handpiece									
				I	II	III			
	1,2	3	11,0	NS2120.526 STE					
	1,2	3	11,0	NS2120.526					
	1,4	3	16,0		NS2121.525 STE				
	1,4	3	16,0		NS2121.525				
	1,4	3	20,6			NS2122.527 STE			
	1,4	3	20,6			NS2122.527			



Rostfreier Stahl · Wire Pass Drill
 Stainless steel · Wire Pass Drill






NS17...	Ø (mm)	# S/FL	KL/HL (mm)	(L = mm)	(L = mm)	(L = mm)	(L = mm)	(L = mm)	
				51	65	95	55	65	
				Round Shank			J-Notch		
	1,0	2	10,0	NS1701.004 STE	NS1701.027 STE			NS1701.018 STE	
	1,0	2	10,0	NS1701.004	NS1701.027			NS1701.018	
	1,2	2	10,0			NS1702.012 STE	NS1702.016 STE		
	1,2	2	10,0			NS1702.012	NS1702.016		
	1,5	2	6,6	NS1703.004 STE	NS1703.027 STE			NS1703.018 STE	
	1,5	2	6,6	NS1703.004	NS1703.027			NS1703.018	
	2,0	2	6,6	NS1704.004 STE					
	2,0	2	6,6	NS1704.004					



Rostfreier Stahl · Stainless steel




Rostfreier Stahl · Spiralbohrer · High Speed · Aesculap Hilan
 Stainless steel · Twist drills · High Speed · Aesculap Hilan



	NS27...	Ø (mm)	# S/FL	KL/HL (mm)	(L = mm) 83-86	(L = mm) 103-106	(L = mm) 123-126			
Aesculap Hilan										
Handstück / handpiece ▲ I II										
	1,5	2	18,0	NS2701.511 STE	NS2701.512 STE	NS2701.513 STE				
	1,5	2	18,0	NS2701.511	NS2701.512	NS2701.513				
	2,0	2	20,0	NS2702.511 STE	NS2702.512 STE	NS2702.513 STE				
	2,0	2	20,0	NS2702.511	NS2702.512	NS2702.513				

Rostfreier Stahl · Spiralbohrer · High Speed · Aesculap Hilan XS
 Stainless steel · Twist drills · High Speed · Aesculap Hilan XS



	NS27...	Ø (mm)	# S/FL	KL/HL (mm)	(L = mm) 51,80	(L = mm) 92,7	(L = mm) 122,7			
Aesculap Hilan XS										
Handstück / handpiece ▲ I II										
	1,5	2	20,0	NS2766.555 STE	NS2766.526 STE	NS2766.525 STE				
	1,5	2	20,0	NS2766.555	NS2766.526	NS2766.525				
	2,0	2	20,0		NS2789.526 STE					
	2,0	2	20,0		NS2789.526					

